

**12**



M12 FDGA  
**M12 FUEL**  
**RIGHT**  
**ANGLE DIE**  
**GRINDER**


MORE  
**POWER**  
THAN PNEUMATIC

4-MODE  
**SPEED**  
CONTROL

GREAT  
**MOBILITY**  
& ACCESS



# MORE POWER THAN PNEUMATIC



# 4-MODE SPEED CONTROL

**OPTIMIZED FOR MOST COMMON ACCESSORIES**

**RPM MODES & EXAMPLE ATTACHMENTS**

<b>1</b>	<b>10,000 RPM</b> Control for Delicate Applications	
<b>2</b>	<b>15,000 RPM</b> Wire Wheel Brush	
<b>3</b>	<b>20,000 RPM</b> Bristle Disc	
<b>4</b>	<b>24,500 RPM</b> Non-Woven Disc Cut Off Disc Abrasive Disc	

# GREAT MOBILITY & ACCESS

**SAVES TIME. GREAT PORTABILITY.**

**NO HOSES OR COMPRESSORS**

**COMPACT TOOL SIZE**

119mm

221mm

## ACCESSORY COMPATIBILITY

	Carbide Burr	Roloc Abrasive Disc	Flap Wheel	Wire Cup	Wire Wheel*	Non-Woven Pad	Cut-Off Wheel**	Bristle Disc*
<b>1"</b>	✓	✓	✓	✓	✓	✓	N/A	✓
<b>2"</b>	N/A	✓	✓	✗	✓	✓	✓	✓
<b>3"</b>	N/A	✓	✗	✗	✗	✓	✗	✗

\*For best performance, let the tool do the work and apply appropriate pressure as necessary  
 \*\*For best performance, use high quality and balanced accessories (such as Milwaukee or Pferd) while applying appropriate pressure as necessary

# SPECIFICATIONS

<b>Collet Size</b>	6.0 mm & 8.0 mm	<b>4-Mode RPM Control</b>	10,000 / 15,000 / 20,000 / 24,500 rpm
<b>Length</b>	119 mm	<b>Weight (w/3.0Ah battery)</b>	0.8 kg





Distributed by: